



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NATIONAL EXPOSURE RESEARCH LABORATORY

HUMAN EXPOSURE & ATMOSPHERIC SCIENCES DIVISION (MD-46)

Research Triangle Park, NC 27711

919-541-2622

Office of

Research and Development

## LIST OF DESIGNATED REFERENCE AND EQUIVALENT METHODS

**Issue Date: May 9, 2000**

([www.epa.gov/ttn/amtic/criteria.html](http://www.epa.gov/ttn/amtic/criteria.html))

These methods for measuring ambient concentrations of specified air pollutants have been designated as "reference methods" or "equivalent methods" in accordance with Title 40, Part 53 of the Code of Federal Regulations (40 CFR Part 53). Subject to any limitations (e.g., operating range or temperature range) specified in the applicable designation, each method is acceptable for use in state or local air quality surveillance systems under 40 CFR Part 58 unless the applicable designation is subsequently canceled. Automated methods for pollutants other than PM<sub>10</sub> are acceptable for use only at shelter temperatures between 20EC and 30EC and line voltages between 105 and 125 volts unless wider limits are specified in the method description.

Prospective users of the methods listed should note (1) that each method must be used in strict accordance with its associated operation or instruction manual and with applicable quality assurance procedures, and (2) that modification of a method by its vendor or user may cause the pertinent designation to be inapplicable to the method as modified. (See Section 2.8 of Appendix C, 40 CFR Part 58 for approval of modifications to any of these methods by users.)

Further information concerning particular designations may be found in the *Federal Register* notice cited for each method or by writing to the National Exposure Research Laboratory, Human Exposure and Atmospheric Sciences Division (MD-46), U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711. Technical information concerning the methods should be obtained by contacting the source listed for each method. Source addresses are listed at the end of the listing of methods, except for the addresses for lead method sources, which are given with the method. New analyzers or PM<sub>10</sub> samplers sold as reference or equivalent methods must carry a label or sticker identifying them as designated methods. For analyzers or PM<sub>10</sub> samplers sold prior to the designation of a method with the same or similar model number, the model number does not necessarily identify an analyzer or sampler as a designated method. Consult the manufacturer or seller to determine if a previously sold analyzer or sampler can be considered a designated method or if it can be upgraded to designation status. Analyzer users who experience operational or other difficulties with a designated analyzer or sampler and are unable to resolve the problem directly with the instrument manufacturer may contact EPA (preferably in writing) at the above address for assistance.

This list will be revised as necessary to reflect any new designations or any cancellation of a designation currently in effect. The most current revision of the list will be available for inspection at EPA's Regional Offices, and copies may be obtained by writing to the National Exposure Research Laboratory at the address specified above.

### Most Recent Designations

Environment S.A SANOA Longpath Monitoring System (O <sub>3</sub> SO <sub>2</sub> NO <sub>2</sub> )	May 8, 2000
TNRCC Inductively Coupled Plasma-AE Spectrometry Method for lead	May 8, 2000
URG Corp. Model URG-MASS100 Single PM2.5 FRM Sampler	May 8, 2000
URG Corp. Model URG-MASS300 Sequential PM2.5 FRM Sampler	May 8, 2000
DKK Corp. Model GUX-113E U. V. Ozone Analyzer	March 2, 2000
DKK Corp. Model GFS-112E U.V. Fluorescence SO <sub>2</sub> Analyzer	January 18, 2000
Andersen RAAS10-100, RAAS10-200, RAAS10-300 PM <sub>10</sub> Samplers	June 23, 1999
Rupprecht & Patashnick Partisol® Model 2000 PM-2.5 Audit Sampler	April 19, 1999

**LEAD****Reference Method for Lead****Manual Reference Method: 40 CFR Part 50, Appendix G**

Reference Method for the Determination of Lead in Suspended Particulate Matter Collected from Ambient Air.

[*Federal Register*: Vol. 43, page 46258, 10/05/78]**Energy-Dispersive X-Ray Fluorescence Spectrometry (TNRCC)****Manual Equivalent Method: EQL-0783-058**

"Determination of Lead Concentration in Ambient Particulate Matter by Energy-Dispersive X-Ray Fluorescence Spectrometry (Texas Natural Resource Conservation Commission)" Texas Natural Resource Conservation Commission, P.O. Box 13087, Austin, TX 78711-3087.

[*Federal Register*: Vol. 48, page 29742, 06/28/83]**Energy-Dispersive X-Ray Fluorescence Spectrometry (NEA, Inc.)****Manual Equivalent Method: EQL-0589-072**

"Determination of Lead Concentration in Ambient Particulate Matter by Energy-Dispersive X-Ray Fluorescence Spectrometry (NEA, Inc.)" Nuclear Environmental Analysis, Inc., Suite 260, 10950 SW 5th Street, Beaverton, OR 97005.

[*Federal Register*: Vol. 54, page 20193, 05/10/89]**Flame Atomic Absorption Spectrometry****Manual Equivalent Method: EQL-0380-043**"Determination of Lead Concentration in Ambient Particulate Matter by Flame Atomic Absorption Spectrometry Following Ultrasonic Extraction with Heated HNO<sub>3</sub>-HCl"[*Federal Register*: Vol. 45, page 14648, 03/06/80]**Flameless Atomic Absorption Spectrometry (EPA/RTP, N.C.)****Manual Equivalent Method: EQL-0380-044**

"Determination of Lead Concentration in Ambient Particulate Matter by Flameless Atomic Absorption Spectrometry (EPA/RTP, N.C.)"

[*Federal Register*: Vol. 45, page 14648, 03/06/80]**Flameless (Graphite Furnace) Atomic Absorption (Houston, Texas)****Manual Equivalent Method: EQL-0895-107**

"Determination of Lead Concentration in Ambient Particulate Matter by Flameless (Graphite Furnace) Atomic Absorption (City of Houston, Texas)." Health and Human Services Department, Environmental Chemistry Service, 11 Federal Plaza, Houston, TX 77002, page 39030, 08/02/95]

**Flameless Atomic Absorption Spectrometry (Omaha)****Manual Equivalent Method: EQL-0785-059**

"Determination of Lead Concentration in Ambient Particulate Matter by Flameless Atomic Absorption Spectrometry (Omaha-Douglas County Health Department)" Omaha-Douglas County Health Department, 1819 Farnam Street, Omaha, NE 68183.

[*Federal Register*: Vol. 50, page 37909, 09/18/85]**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Doe Run)****Manual Equivalent Method: EQL-0196-113**

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Doe Run Co.)" Doe Run Company, Smelting Division, 881 Main Street Herculaneum, MO 63048

[*Federal Register*: Vol. 61, page 11404, 03/20/96]**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (EPA/RTP)****Manual Equivalent Method: EQL-0380-045**

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (EPA/RTP, N.C.)"

[*Federal Register*: Vol. 45, page 14648, 03/06/80]**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (IL)****Manual Equivalent Method: EQL-1193-094**

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (State of Illinois)." State of Illinois, Environmental Protection Agency, Champaign Inorganic Laboratory, 2120 South First Street, Champaign, IL 61820

[*Federal Register*: Vol. 58, page 61902, 11/23/93]**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Kansas)****Manual Equivalent Method: EQL-0592-085**

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (State of Kansas)" State of Kansas, Department of Health and Environment, Forbes Field, Building 740, Topeka, KS 66620-0001

[*Federal Register*: Vol. 57, page 20823, 05/15/92]**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Montana)****Manual Equivalent Method: EQL-0483-057**

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (State of Montana)". State of Montana, Department of Health and Environmental Sciences, Cogswell Building, Helena, MT 59620.

[*Federal Register*: Vol. 48, page 14748, 04/05/83]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (NETI)***Manual Equivalent Method: EQL-1188-069*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Northern Engineering and Testing, Inc.)" Northern Engineering and Testing, Inc., P.O. Box 30615, Billings, MT 59107.

[*Federal Register*: Vol. 53, page 44947, 11/07/88]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (NH)***Manual Equivalent Method: EQL-1290-080*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (State of New Hampshire)" State of New Hampshire, Department of Environmental Services, Laboratory Service Unit, 6 Hazen Drive (P.O. Box 95), Concord, NH 03302-0095.

[*Federal Register*: Vol. 55, page 49119, 11/26/90]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (PA)***Manual Equivalent Method: EQL-0592-086*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Commonwealth of Pennsylvania)" Commonwealth of Pennsylvania, Department of Environmental Resources, P.O. Box 2357, Harrisburg, PA 17105-2357.

[*Federal Register*: Vol. 57, page 20823, 05/15/92]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Pima, AZ)***Manual Equivalent Method: EQL-0995-109*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Pima County, Arizona)." Pima County, Wastewater Management Department, 201 North Stone Avenue, Tucson, Arizona 85701-1207.

[*Federal Register*: Vol. 60, page 54684, 10/25/95]

**Inductively Coupled Argon Plasma-Mass Spectrometry (Pima Co., AZ)***Manual Equivalent Method: EQL-0995-110*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Plasma-Mass Spectrometry (Pima County, Arizona)." Pima County, Wastewater Management Department, 201 North Stone Avenue, Tucson, Arizona 85701-1207.

[*Federal Register*: Vol. 60, page 54684, 10/25/95]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (RI)***Manual Equivalent Method: EQL-0888-068*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (State of Rhode Island)," State of Rhode Island Department of Health, Air Pollution Laboratory, 50 Orms Street, Providence, RI 02904

[*Federal Register*: Vol. 53, page 30866, 08/16/88]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Silver Valley)***Manual Equivalent Method: EQL-1288-070*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (Silver Valley Laboratories)," Silver Valley Laboratories, Inc., P.O. Box 929, Kellogg, ID 83837.

[*Federal Register*: Vol. 53, page 48974, 12/05/88]

**Inductively Coupled Argon Plasma-Atomic Emission Spectrometry (TNRCC)***Manual Equivalent Method: EQL-0400-140*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Atomic Emission Spectrometry (TNRCC)," Texas Natural Resource Conservation Commission Laboratory, 5144 E. Sam Houston Parkway N., Houston, TX 77030.

[*Federal Register*: Vol. 65, page 26603, 5/8/00]

**Inductively Coupled Argon Plasma-Optical Emission Spectrometry (WV)***Manual Equivalent Method: EQL-0694-096*

"Determination of Lead Concentration in Ambient Particulate Matter by Inductively Coupled Argon Plasma-Optical Emission Spectrometry (State of West Virginia)." State of West Virginia, Department of Commerce, Labor and Environmental Resources, Division of Environmental Protection, 1558 Washington Street East, Charleston, WV 25311-2599

[*Federal Register*: Vol. 59, page 29429, 06/07/94]

**Wavelength Dispersive X-Ray Fluorescence Spectrometry (CA)***Manual Equivalent Method: EQL-0581-052*

"Determination of Lead Concentration in Ambient Particulate Matter by Wavelength Dispersive X-Ray Fluorescence Spectrometry" California Department of Health Services, Air & Industrial Hygiene Laboratory, 2151 Berkeley Way, Berkeley, CA 94704.

[*Federal Register*: Vol. 46, page 29986, 06/04/81]

**NOTES**

<sup>1</sup> Users should be aware that designation of this analyzer for operation on ranges less than the range specified in the performance specifications for this analyzer (40 CFR 53, Subpart B) is based on meeting the same absolute performance specifications required for the specified range. Thus, designation of these lower ranges does not imply commensurably better performance than that obtained on the specified range.

<sup>2</sup> This analyzer is approved for use, with proper factory configuration, on either 50 or 60 Hertz line frequency and nominal power line voltages of 115 Vac and 220 Vac.

## Sources or Contacts for Designated Reference and Equivalent Methods

ABB Process Analytics P.O. Box 831 Lewisburg, WV 24901 (304) 647-4358	Environnement S.A 111, bd Robespierre 78300 Poissy, France Instruments also available from: Altech/Environnement U.S.A. 2623 Kaneville Court Geneva, IL 60134 (630) 262-4400 rbrown@altechusa.com	Opsis AB, Furulund, Sweden Instruments also available from: Opsis, Inc. 146-148 Sound Beach Avenue Old Greenwich, CT 06870 (203) 698-1810
Advanced Pollution Instrumentation, Inc. 6565 Nancy Ridge Drive San Diego, CA 92121-2251 (619) 657-9800	Envirionics, Inc. 69 Industrial Park Rd. E. Tolland, CT 06084-2805 (203) 429-0077	State of Oregon Department of Environmental Quality Air Quality Division 811 S.W. Sixth Avenue Portland, OR 97204
Andersen Instruments 500 Technology Court Smyrna, GA 30082-9211 (800) 241-6898	Graseby GMW [Refer to Andersen Instruments]	PCI Ozone Corp. One Fairfield Crescent West Caldwell, NJ 07006 (201) 575-7052
ASARCO Incorporated 3422 South 700 West Salt Lake City, UT 84119 (801) 262-2459	Horiba Instruments Incorporated 17671 Armstrong Avenue Irvine, CA 92714 (800) 446-7422	Phillips Electronic Instruments, Inc. 85 McKee Drive Mahwah, NJ 07430
Beckman Instruments, Inc. Process Instruments Division 2500 Harbor Blvd. Fullerton, CA 92634 (714) 871-4848	Lear Siegler [Refer to Monitor Labs, Inc.]	Rupprecht & Patashnik Co., Inc. 25 Corporate Circle Albany, NY 12203 (518) 452-0065
Bendix [Refer to ABB Process Analytics]	Commonwealth of Massachusetts Department of Environmental Quality Engineering Tewksbury, MA 01876	Sibata Scientific Technology, Ltd. 1-25, 3-chome Ikenohata, Taito-ku Tokyo 110, Japan 81-3(3822)2272 TTani@email.msn.com
BGI Incorporated 58 Guinan Street Waltham, MA 02154	Met One Instruments, Inc. 1600 Washington Blvd. Grants Pass, OR 97526 (541) 471-7111 metone@metone.com	Thermo Environmental Instruments, Inc. 8 West Forge Parkway Franklin, MA 02038 (508) 520-0430
Columbia Scientific Industries 11950 Jollyville Road Austin, TX 78759 (800) 531-5003	McMillan [Refer to Columbia Scientific Industries]	U.S. EPA National Exposure Research Laboratory Human Exposure & Atmospheric Sciences Division (MD-46) Research Triangle Park, NC 27711 (919) 541-2622
Combustion Engineering [Refer to ABB Process Analytics]	Mine Safety Appliances 600 Penn Center Blvd. Pittsburgh, PA 15235-5810 (412) 273-5101	Wedding and Associates, Inc. [Refer to Thermo Environmental Instruments, Inc.]
Dasibi Environmental Corp. 506 Paula Avenue Glendale, CA 91201 (818) 247-7601	Monitor Labs, Inc. 74 Inverness Drive Englewood, CO 80112-5189 (800) 422-1499	
DKK Corporation 4-13-14 Kichijoji Kitamachi, Musashino-shi Tokyo, 180, Japan		

# U.S. EPA REFERENCE & EQUIVALENT METHODS FOR AMBIENT AIR

May 9, 2000

<u>Method</u>	<u>Designation Number</u>	<u>Method Code</u>	<u>Method</u>	<u>Designation Number</u>	<u>Method Code</u>
<b><u>SO<sub>2</sub> Manual Methods</u></b>					
Reference method (pararosaniline)	--	097	Beckman 952A	RFNA-0179-034	034
Technicon I (pararosaniline)	EQS-0775-001	097	Bendix 8101-B	RFNA-0479-038	038
Technicon II (pararosaniline)	EQS-0775-002	097	Bendix 8101-C	RFNA-0777-022	022
<b><u>SO<sub>2</sub> Analyzers</u></b>					
Advanced Pollution Instr. 100	EQSA-0990-077	077	Columbia Scientific Indust.1600, 5600	RFNA-0977-025	025
Advanced Pollution Instr. 100A	EQSA-0495-100	100	Dasibi 2108	RFNA-1192-089	089
Asarco 500	EQSA-0877-024	024	DKK Corp GLN-114E	RFNA-0798-121	121
Beckman 953	EQSA-0678-029	029	Environnement S.A. AC31M	RFNA-0795-104	104
Bendix 8303	EQSA-1078-030	030	Environnement S.A. SANOA	EQNA-0400-139	139
Columbia Scientific Industries 5700	EQSA-0494-095	095	Horiba APNA-360	RFNA-0196-111	111
Dasibi 4108	EQSA-1086-061	061	Lear Siegler or Monitor Labs ML9841, ML9841A, Monitor Labs ML9841B, Wedding 1030	RFNA-1292-090	090
DKK Corp. Model GFS-32	EQSA-0701-115	115	Meloy NA530R	RFNA-1078-031	031
DKK Corp. Model GFS-112E	EQSA-0100-133	133	Monitor Labs 8440E	RFNA-0677-021	021
Environnement S.A. AF21M	EQSA-0292-084	084	Monitor Labs or Lear Siegler 8840	RFNA-0280-042	042
Environnement S.A. SANOA	EQSA-0400-138	138	Monitor Labs or Lear Siegler 8841	RFNA-0991-083	083
Horiba Model APSA-360/APSA-360ACE	EQSA-0197-114	114	Opsis AR 500, System 300 (open path)	EQNA-0495-102	102
Lear Siegler AM2020	EQSA-1280-049	049	Philips PW9762/02	RFNA-0879-040	040
Lear Siegler SM1000	EQSA-1275-005	005	Thermo Electron or Thermo Environmental Instruments 14B/E	RFNA-0179-035	035
Lear Siegler or Monitor Labs ML9850, Monitor Labs ML9850B, Wedding 1040	EQSA-0193-092	092	Thermo Electron or Thermo Environmental Instruments 14D/E	RFNA-0279-037	037
Meloy SA185-2A	EQSA-1275-006	006	Thermo Environmental Instr. 42, 42C	RFNA-1289-074	074
Meloy SA285E	EQSA-1078-032	032			
Meloy SA700	EQSA-0580-046	046			
Monitor Labs 8450	EQSA-0876-013	513			
Monitor Labs or Lear Siegler 8850	EQSA-0779-039	039			
Monitor Labs or Lear Siegler 8850S	EQSA-0390-075	075			
Opsis AR 500, System 300 (open path)	EQSA-0495-101	101			
Philips PW9700	EQSA-0876-011	511			
Philips PW9755	EQSA-0676-010	010			
Thermo Electron 43	EQSA-0276-009	009			
Thermo Electron 43A or Thermo Environmental Instruments 43B, 43C	EQSA-0486-060	060			
<b><u>O<sub>3</sub> Analyzers</u></b>					
Advanced Pollution Instr. 400/400A	EQOA-0992-087	087			
Beckman 950A	RFOA-0577-020	020			
Bendix 8002	RFOA-0176-007	007			
Columbia Scientific Industries 2000	RFOA-0279-036	036			
Dasibi 1003-AH,-PC,-RS	EQOA-0577-019	019			
Dasibi 1008-AH	EQOA-0383-056	056			
DKK Corp. Model GUX-113E	EQOA-0200-134	134			
Environics 300	EQOA-0990-078	078			
Environnement S.A. O <sub>3</sub> 4IM	EQOA-0895-105	105			
Environnement S.A. SANOA	EQOA-0400-137	137			
Horiba APOA-360	EQOA-0196-112	112			
Lear Siegler or Monitor Labs ML9810, Monitor Labs ML9810B, Wedding 1010	EQOA-0193-091	091			
McMillan 1100-1	RFOA-1076-014	514			
McMillan 1100-2	RFOA-1076-015	515			
McMillan 1100-3	RFOA-1076-016	016			
Meloy OA325-2R	RFOA-1075-003	003			
Meloy OA350-2R	RFOA-1075-004	004			
Monitor Labs 8410E	RFOA-1176-017	017			
Monitor Labs or Lear Siegler 8810	EQOA-0881-053	053			
Opsis AR 500, System 300 (open path)	EQOA-0495-103	103			
PCI Ozon Corp. LC-12	EQOA-0382-055	055			
Philips PW9771	EQOA-0777-023	023			
Thermo Electron or Thermo Environmental Instruments 49, 49C	EQOA-0880-047	047			
<b><u>CO Analyzers</u></b>					
Advanced Pollution Instr. 300	RFCA-1093-093	093			
Beckman 866	RFCA-0876-012	012			
Bendix 8501-5CA	RFCA-0276-008	008			
Dasibi 3003	RFCA-0381-051	051			
Dasibi 3008	RFCA-0488-067	067			
Environnement s.a. CO1IM	RFCA-0995-108	108			
Horiba AQM-10, -11, -12	RFCA-1278-033	033			
Horiba 300E/300SE	RFCA-1180-048	048			
Horiba APMA-360	RFCA-0895-106	106			
Lear Siegler or Monitor Labs ML9830,					
Monitor Labs ML9830B, Wedding 1020	RFCA-0992-088	088			
MASS - CO 1 (Massachusetts)	RFCA-1280-050	050			
Monitor Labs 8310	RFCA-0979-041	041			
Monitor Labs or Lear Siegler 8830	RFCA-0388-066	066			
MSA 202S	RFCA-0177-018	018			
Thermo Electron or Thermo Environmental Instruments 48, 48C	RFCA-0981-054	054			
<b><u>NO<sub>x</sub> Manual Methods</u></b>					
Sodium arsenite (orifice)	EQN-1277-026	084			
Sodium arsenite/Technicon II	EQN-1277-027	084			
TGS-ANSA (orifice)	EQN-1277-028	098			
<b><u>NO<sub>x</sub> Analyzers</u></b>					
Advanced Pollution Instr. 200	RFNA-0691-082	082			
Advanced Pollution Instr. 200A	RFNA-1194-099	099			
<b><u>Pb Manual Methods</u></b>					
Reference method (hi-vol/AA spect.)	--	--			803
Hi-vol/AA spect. (alt. extr.)	EQL-0380-043	043			
Hi-vol/Energy-disp XRF (TX ACB)	EQL-0783-058	058			
Hi-vol/Energy-disp XRF (NEA)	EQL-0589-072	072			
Hi-vol/Flameless AA (EMSL/EPA)	EQL-0380-044	044			
Hi-vol/Flameless AA (Houston)	EQL-0895-107	107			
Hi-vol/Flameless AA (Omaha)	EQL-0785-059	059			
Hi-vol/ICAP spect. (Doe Run Co.)	EQL-0196-113	113			
Hi-vol/ICAP spect. (EMSL/EPA)	EQL-0380-045	045			
Hi-vol/ICAP spect. (Illinois)	EQL-1193-094	094			
Hi-vol/ICAP spect. (Kansas)	EQL-0592-085	085			
Hi-vol/ICAP spect. (Montana)	EQL-0483-057	057			
Hi-vol/ICAP spect. (NE&T)	EQL-1188-069	069			
Hi-vol/ICAP spect. (New Hampshire)	EQL-1290-080	080			
Hi-vol/ICAP spect. (Pennsylvania)	EQL-0592-086	086			
Hi-vol/ICAP spect. (Pima Co.,AZ)	EQL-0995-109	109			
Hi-vol/ICAP spect. (Pima Co.,AZ)	EQL-0995-110	110			
Hi-vol/ICAP spect. (Rhode Island)	EQL-0888-068	068			
Hi-vol/ICAP spect. (Silver Val. Labs)	EQL-1288-070	070			
Hi-vol/ICAP spect. (West Virginia)	EQL-0694-096	096			
Hi-vol/WL-disp. XRF (CA A&IHL)	EQL-0581-052	052			
<b><u>PM<sub>10</sub> Samplers</u></b>					
Andersen Instruments,RAAS10-100	RFPS-0699-130	130			
Andersen Instruments,RAAS10-200	RFPS-0699-131	131			
Andersen Instruments,RAAS10-300	RFPS-0699-132	132			
BGI Model PQ100	RFPS-1298-124	124			
BGI Model PQ200	RFPS-1298-125	125			
Oregon DEQ Medium volume sampler	RFPS-0389-071	071			
Rupprecht & Patashnick Partisol 2000	RFPS-0694-098	098			
R & P Partisol-FRM Model 2000	RFPS-1298-126	126			
R & P Partisol-Plus Model 2025 Seq.	RFPS-1298-127	127			
Sierra-Andersen/GMW 1200	RFPS-1287-063	063			
Sierra-Andersen/GMW 321-B	RFPS-1287-064	064			
Sierra-Andersen/GMW 321-C	RFPS-1287-065	065			
Sierra-Andersen/GMW 241 Dichot.	RFPS-0789-073	073			
W&A/Thermo Electron Mod 600 HVL	RFPS-1087-062	062			
<b><u>PM<sub>2.5</sub> Analyzers</u></b>					
Andersen Instruments Beta FH621-N	EQPM-0990-076	076			
Met One BAM1020, GBAM1020, BAM1020-1, GBAM1020-1	EQPM-0798-122	122			
R & P TEOM 1400, 1400a	EQPM-1090-079	079			
W&A/Thermo Electron 650 Beta Gauge	EQPM-0391-081	081			
<b><u>PM<sub>2.5</sub> Samplers</u></b>					
Andersen Model RAAS2.5-200 Audit	RFPS-0299-128	128			
BGI PQ200/200A	RFPS-0498-116	116			
Graseby Andersen RAAS2.5-100	RFPS-0598-119	119			
Graseby Andersen RAAS2.5-300	RFPS-0598-120	120			
R & P Partisol-FRM 2000	RFPS-0498-117	117			
R & P Partisol-Plus 2025	RFPS-0498-118	118			
R & P Partisol 2000 Audit	RFPS-0499-129	129			
Thermo Envr Model 605 CAPS	RFPS-1098-123	123			
URG-MASS100	RFPS-0400-135	135			
URG-MASS300	RFPS-0400-136	136			
<b><u>TSP Manual Method</u></b>					
Reference method (high-volume)	--	--			802